

To accommodate the district's educational program, the Board of Education is committed to providing suitable and adequate facilities. To this end, proper maintenance and inspection procedures are essential. The Board directs the Superintendent of Schools to ensure that proper maintenance and inspection procedures are developed for every school building.

Consistent with federal and state law and regulations, the following items will be included in the district's buildings and grounds maintenance and inspection procedures:

Comprehensive Maintenance Plan

A comprehensive maintenance plan for all major building systems will be instituted to ensure the building is maintained in a state of good repair. Such plan will include provisions for a least toxic approach to integrated pest management and establish maintenance procedures and guidelines which will contribute to acceptable indoor air quality. The plan shall be available for public inspection.

Procedures will also be established to ensure the safety of building occupants during maintenance activities including standards for exiting and ventilation, asbestos and lead protocols, noise abatement and control of chemical fumes, gases and other contaminants.

Building Condition Surveys

Each occupied district building will be assessed every five years by a building condition survey. This survey will be conducted by a team that includes at least one licensed architect or engineer and will include a list of all program spaces and inspection of building system components for evidence of movement, deterioration, structural failure, probable useful life, need for repair and maintenance and need for replacement. Building condition survey reports will be submitted to the Commissioner by January 15, 2001 and January 15th of every fifth year thereafter.

Fire Safety Inspections

An annual inspection for fire and safety hazards will be conducted in accordance with a schedule established by the Commissioner of Education. The inspection will be conducted by a qualified fire inspector and the report will be kept in the district office. Any violation of the State Uniform Fire Prevention and Building Code shall be corrected immediately or within a time frame approved by the Commissioner.

Other Inspections

The building principal and the head custodian will, on an on-going basis, undertake their own inspections of the school building and grounds, searching for any dangerous or hazardous conditions, and if found, report them immediately to the Superintendent/designee.

Safety Rating System

A safety rating keyed to the structural integrity and overall safety of each occupied school building will be provided on an annual basis in consultation with the Health and Safety Committee. Safety ratings will be based on the safety rating system developed by the Commissioner and will comply with all statutory and regulatory requirements.

Building Principals shall, on an on-going basis, undertake their own inspections of school buildings and grounds, searching for any dangerous or hazardous conditions and take immediate steps to remedy the problem.

Adoption date: March 24, 2015